



## ZBROJENIE DOLNE PLYTY




### POZ.3.1 STROP NAD PARTEREM SKALA 1:100

## ZBROJENIE GÓRNE PŁYTY




## ROZMIESZCZENIE OTWORÓW W STROPIE

DOZBROJENIE STROPU PRZY OTWORACH – dodatkowe pręty Nr 67, 68, 69, 70 dołem i górą













PRZEKRÓJ A-A SK. 1:25

(GZYMS)



## WYKAZ STALI

NR	KSZMETI PÉLTON	#	L	SCT.	A-III N		
					#6	#9	#10
1	2	3	3.34	4	5	6	7
1		#10	6.00	39			60.12
2		#10	8.29	29			234.00
3		#10	9.80	38			240.41
4		#10	6.71	2			372.40
5		#10	5.90	7			13.42
6		#10	2.43	23			55.89
7		#10	6.91	22			62.19
8		#10	7.03	9			154.66
9		#10	7.40	8			59.20
10		#10	5.15	2			10.30
11		#10	5.00	10			50.00
12		#10	4.48	27			120.86
13		#10	6.10	31			220.05
14		#10	5.25	27			141.75
15		#10	7.63	19			144.97
16		#10	9.28	33			50.76
17		#10	7.28	6			306.24
18		#10	10.51	4			43.68
19		#10	5.95	40			42.04
20		#10	7.31	15			238.00
21		#10	8.00	6			73.10
22		#10	1.90	17			48.00
23		#10	5.44	25			32.30
24		#10	5.08	31			136.00
25		#10	5.60	25			157.48
26		#10	5.29	15			140.00
27		#10	11.39	26			79.35
28		#6	5.95	42	249.90		296.14
29		#10	4.38	18			78.84
30		#10	10.30	38			391.40
31		#10	10.05	7			70.35
32		#10	8.52	23			195.66
33		#10	5.80	38			220.40
34		#10	6.83	2			13.66
35		#10	2.55	23			58.65
36		#10	7.30	5			36.50
37		#10	9.30	4			29.40
38		#10	7.48	18			134.64
39		#10	9.90	13			128.70
40		#10	11.16	2			23.52
41		#10	2.00	13			26.00
42		#10	9.45	45			425.25
43		#10	6.27	2			12.84
44		#10	7.87	9			70.83
45		#10	9.92	1			9.92
46		#10	6.20	38			235.60
47		#10	4.15	18			74.70
48		#10	9.90	40			396.00
49		#10	8.10	15			121.50
50		#10	11.16	4			44.64
51		#10	9.11	11			100.21
52		#10	8.10	17			137.20
53		#10	6.02	36			216.72
54		#10	8.16	39			318.24
55		#10	1.12	32			99.60
55a		#10	2.82	10	249.90	0.00	8317.89

1	2	3	4	5	6	7	8
2. izvedenstvo	2	mb			249,90	0,00	8317,89
56	 30	#6	1,05	247	259,35		
57	 688	#6	6,95	2	13,90		
58	 860	#6	6,06	2	12,12		
59	w/g preklonu	#6	2,79	1	2,79		
60	w/g preklonu	#6	2,85	1	2,85		
61	 701	#6	7,04	4	28,16		
62	 200	#6	2,24	76	170,24		
63	 240	#6	2,64	100	264,00		
64	 120	#6	1,44	16	23,04		
65	 80	#6	0,84	12	10,08		
66	 240	#8	2,64	3,3		87,12	19,24
67		#10	4,81	4			19,00
68		#10	4,75	4			15,80
69		#10	3,95	4			300,00
70		#10	14,22				1055,70
71	 461	#10	0,69	15,50			
Dijagnoza razm.		mb	1036,43	87,12	9727,63		
Čvrsta jeftovitoj stali		kg/m	0,220	0,395	0,617		
Kg		kg	220,09	34,41	6501,95		

BETON C25/30 (B30)  
STAL A-III N

Grubość stropu i balkonów  $h=20$  cm, grubość gzymsów  $h=10$  cm  
Otulina zbrojenia 3 cm

UWAGI:

- [illegible]